J. Field Ornithol., 56(4):463–482

Indices to Volume 56

Compiled by Lori L. Nichols and Jerome A. Jackson

Three indices follow: An author index, a subject/geographic index, and an index of bird species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Able, K. P., 429(r)
Ackerman, R. A., 84(r)
Adams, M., 313–314(r)
Adams, R. J., Jr., 424–425
Ahlund, M., 439–440(r)
Ainley, D. G., 199(r)
Alderton, H. R., 206(r)
Aldrich, J. W., 454–455(r)
Alexander, L. L., 440(r)
Allen, H. L., 210(r)
Alonso, J. A., 409–410
Alonso, J. C., 409–410
Anderka, F. W., 388–393
Anderson, B. W., 437–439(r)
Anderson, G. L., 202(r)
Anderson, J. F., 407–408
Andrew, J. M., 83–84(r)
Angelstam, P., 192(r)
Ankney, C. D., 284–286
Armstrong, E. P., 77(r)
Atkinson, I. A. E., 196(r)
Austin-Smith, P. J., 79(r)
Avise, J. C., 314(r), 315(r)
Aylor, D. E., 125–130
Badaccini, N. E., 430(r)
Bagnoli, P., 429(r)
Balcomb, R., 201(r)
Baldassarre, G. A., 305(r)
Baker, A. J., 310(r)
Baker, M. C., 453–454(r)
Banks, R. C., 277
Baptista, L. F., 453–454(r)
Barabant, G., 433(r)
Barrett, C. F., 81(r), 313(r), 439(r)
Barrett, J., 313(r), 439(r)
Barsova, L. I., 85(r)
Baudinette, R. V., 442(r)
Baudvin, H., 433(r)
Baverstock, P. R., 313–314(r)
Beaubrun, P.-C., 448–449(r)
Bednarik, K. E., 194(r)
Beletsky, L. D., 209(r)
Belik, V. P., 306(r)
Benfield, D., 82(r)
Bennett, G. H., 415–416
Bennetts, R. E., 187–189
Benus, R. F., 435(r)
Benvenuti, S., 429–430(r), 430(r)
Bergstrom, B. J., 415
Best, L. B., 23–27
Bilcke, G., 198(r)
Bingman, V. P., 429(r)
Birkhead, T. R., 205–206(r), 246–250
Blancher, P. J., 113–124
Blanchon, J.-J., 290–291(r)
Blandin, W. W., 290(r)
Block, S. B., 314–315(r)
Blokpoel, H., 113–124
Blus, L. J., 304(r)
Boag, P. T., 89(r)
Board, R. G., 73(r)
Bocca, M., 312–313(r)
Boekelheide, R. J., 199(r)
Boere, G. C., 82(r)
Bolen, E. G., 305(r)
Bol'shavok, K. U., 299(r)
Bondrup-Nielsen, S., 91–92(r)
Bookhout, T. A., 194(r)
Borowiec, M., 303(r)
Bortolotti, G. R., 309(r)
Bossema, I., 435(r)
Boudoint, Y., 291(r)
Boyd, R. L., 405–406
Braaksma, S., 82(r)
Brackbill, H., 71
Braun, E. J., 202(r)
Brennan, L. A., 265–272
Briggs, K., 73(r)
Broni, S. C., 411–412
Brooks, E. W., 406–407
Brosset, A., 190–191(r)
Brothers, N. P., 83(r)
Brown, A. W., 303(r), 441(r)
Brown, L. M., 303(r), 441(r)
Buchanan, D. B., 450–451(r)
Buchanan, J. B., 265–272
Buker, J., 196(r)
Bunck, C. M., 304(r)
Burnham, W. A., 74(r)
Burren, P. J., 195(r)
Busto, B., 432(r)
Buxton, N. E., 313(r)

Buzun, V. A., 79(r)
Campbell, B., 286, 432–433(r)
Carbyn, L. N., 459(r)
Carlon, J., 293–294(r)
Carlson, R. B., 208(r)
Carpenter, F. L., 199(r)
Carpenter, T., 346–355
Carroll, J. P., 283–284
Casini, G., 429(r)
Caslick, J. W., 198(r)
Cassel, J. F., 208(r)
Catchpole, C., 436(r)
Catchpole, C. K., 209–210(r)
Caudron, E., 451–452(r)
Chappell, M. A., 202–203(r)
Chardine, J. W., 294(r)
Cherry, J. D., 429(r)
Choate, E. A., 455–456(r)
Cibbs, H. L., 89(r)
Clark, G. S., 206(r), 311–312(r)
Clergeau, P., 190(r)
Coates-Estrada, R., 451(r)
Cole, M. A., 314–315(r)
Coleman, J. S., 251–257
Collias, E. C., 210–212(r)
Collias, N. E., 210–212(r)
Colvin, B. A., 224–235
Confer, J. L., 56–64
Conover, M. R., 125–130, 303(r)
Conroy, M. J., 290(r)
Cooke, F., 190(r), 442(r)
Cordier, J.-R., 447–448(r)
Cordonnier, P., 309–310(r)
Coulter, M., 300(r)
Cowardin, L. M., 79–80(r)
Craig, E. H., 439(r)
Craig, T. H., 439(r)
Crocq, C., 294(r)
Cugnasse, J.-M., 303–304(r)
Cuisin, M., 203–204(r)
Davis, D. H., 73(r)
Davis, T. A., 84(r)
Dawson, A., 442(r)
DeGange, A. R., 82(r)
Dehaet, J., 196–197(r)
DeJong, M. J., 213–223
De Lucca, E. J., 89(r)
Demaine, C., 308(r), 308–309(r)
Dessolin, J.-L., 433(r)
Devereux, J., 346–355
Diamond, A. W., 209(r)
Dittami, J., 209–210(r)
Doerr, T. B., 200(r)
Dol'nik, T. V., 299(r)
Douglas, S., 198–199(r)
Dowd, E. M., 379–387
Dubois, P., 205(r), 290–291(r), 444–445(r)
Ducrotoy, J.-P., 451–452(r)
Duebbert, H. F., 73–74(r)
Duffy, D., 300(r)
Duffy, D. C., 411–412
Duin, G. van, 196(r)
Dupuy, A. R., 310–311(r)
Duquet, M., 312(r)
Durham, K., 346–355
Durnev, Iu. A., 199–200(r)
Eddleman, W. R., 41–55
Elgar, M. A., 195(r)
Ellis, D. H., 82(r)
Ellis, J. A., 302(r)
Emlin, J. T., 213–223
Erard, C., 311(r), 449–450(r)
Estrada, A., 451(r)
Etter, S. L., 302(r)
Evans, D. L., 184–187
Faanes, C. A., 78(r), 83–84(r)
Fairchild, L., 236–245
Ferguson, R. S., 73(r)
Fernex, M., 445(r)
Fetterolf, P. M., 113–124
Fiaschi, V., 430(r)
Findlay, C. S., 442(r)
Finger, M. A., 265–272
Fitzner, R. E., 153–157
Flake, L. D., 379–387
Fleming, T. L., 97–112
Flickinger, E. L., 201–202(r)
Flood, N. J., 207–208(r)
Foa, A., 429–430
Folkers, K. L., 175–177
Fowler, J. A., 441(r)
Frank, A. M., 79–80(r)
Franzreb, K. E., 9–16
Fraser, J. D., 251–257
Frederick, P. C., 413–414
Fugle, G. N., 356–368
Fuller, R. J., 202(r), 299(r)
Furness, R. W., 202(r), 205–206(r), 295(r)
Galati, B., 28–40
Galati, C., 28–40
Galbraith, H., 202(r)
Gauthreaux, S. A., Jr., 394–402
Gergits, W. F., 429(r)
Geroudet, P., 305(r), 430–431(r)
Gibson, A. R., 310(r)
Gilmer, D. S., 184–187
Gilmer, W. L., 72(r)
Glayre, D., 317–319(r)
Goldsmith, A. R., 442(r)
Goldstein, D. L., 202–203(r)
Goodburn, S. F., 436(r)
Goodwin, A. J., 311–312(r)
Goodwin, E., 286
Gore, D.J., 81(r)

Gotmark, F., 91(r), 439–440(r)
Gradwohl, J. A., 436–437(r)
Grant, G. S., 433(r)
Grant, P. R., 89(r), 316(r)
Green, W. L., 72(r)
Greenberg, R., 436–437(r)
Guillou, J. J., 311(r)
Guthery, F. S., 80(r), 200(r)
Gutman, S. I., 89(r)
Gyllensten, U., 450(r)
Haas, V., 432(r)
Haig, S. M., 334–345
Hamel, P. B., 440(r)
Haney, J. C., 321–333
Hanners, L. A., 158–164
Hanson, W., 300(r)
Hario, M., 85(r)
Harris, M. P., 81(r)
Harrison, H. H., 92(r)
Harvey, P. J., 432–433(r)
Haseltine, S. D., 201(r)
Hastings, R. H., 441–442(r)
Hatch, J. J., 178–181, 427–428
Hawkins, L. L., 182–184
Hayes, F. E., 415–416
Hayes, J. P., 198(r)
Hayward, J. L., 440(r)
Hecht, M. K., 203(r)
Heintzelman, D. S., 319(r)
Heitmeyer, M. E., 302(r)
Hendricks, G. T., 418
Hendricks, P., 87(r), 418
Henny, C. J., 97–112, 304(r), 314–315(r)
Henry, J. D., 459(r)
Hepp, G. R., 317(r)
Herman, S. G., 265–272
Hesse, E., 435–436(r)
Heubeck, M., 441(r)
Heyland, J. D., 201(r)
Hill, D. A., 194(r)
Hinchliffe, J. R., 203(r)
Hissa, R., 309(r)
Hitchcock, R. R., 295(r)
Hoffman, R. W., 204(r)
Hopkins, J., 284–286
Horsfall, J. A., 434(r)
Hothem, R. L., 369–378
Howey, P., 73(r)
Hudson, R., 80–81(r)
Hussell, D. J. T., 296(r)
Hutchins, H. E., 90–91(r)
Hutto. R. L., 187–189
Il'ichev, V. D., 305–306(r)
Ingold, J. L., 89(r), 403–405
Ioale, P., 429(r)
Iverson, G. C., 258–264
Iyuleeva, D. S., 299(r)
Jackson, J. A., 462
James, F. C., 454(r)
Jarvinen, A., 298(r)
Jenkinson, M. A., 459–461(r)
Joale, P., 430(r)
Johnson, D. H., 79–80(r)
Johnson, M., 80(r)
Johnson, N. K., 90(r)
Johnson, T. M., 265–272
Jones, P. H., 81(r)
Joselyn, G. B., 302(r)
Kaicener, M., 411–412
Kaminski, R. M., 301–302(r)
Kantrud, H. A., 77–78(r), 88–89(r)
Karplund, L., 309(r)
Kear, J., 73(r)
Kennamer, R. A., 286–289
Kerlinger, P., 394–402
Kessler, L. G., 314(r), 315(r)
Kharitonov, S. P., 76(r), 197(r)
Kibbe, D. P. 456(r)
Kilham, L., 425–426
Kilpi, M., 72(r)
King, J. R., 203(r)
Kirsch, L., 80(r)
Klett, A. T., 79–80(r)
Knight, R. L., 153–157
Knopf, F. L., 41–55
Kologiski, R. L., 77–78(r)
Konrad, P. M., 74(r), 184–187
Korpimaki, E., 295–296(r)
Korschgen, C. E., 72(r)
Krebs, J. R., 452(r)
Kreslavsky, A. G., 443(r)
Kricher, J. C., 273
Kroodsma, R.L., 437(r), 452(r), 453–454(r)
Krynitsky, A. J., 304(r)
Lambert, A., 193(r)
Langslow, D. R., 299(r)
LaPorte, P., 201(r)
Laughlin, S.B., 456(r)
Laurent, J.-L., 194–195(r)
Lee, F., 80(r)
Lee, F. B., 314–315(r)
Leffelaar, D., 434–435(r)
Leisler, B., 209–210(r), 436(r)
Leopold, M. F., 316(r)
Lessells, C. M., 297(r)
Lifjeld, J. T., 452(r)
Linard, J.-C., 431–432(r)
Linden, H., 93(r), 309(r)
Linz, G. M., 208(r)
Lock, A. R., 388–393
Loftin, R. W., 317(r)
Logan, C. A., 69–71
Lohrer, F. E., 65–66
Lokemoen, J. T., 73–74(r)

Longcore, J. R., 201(r)
Longland, W. S., 277
Lovaty, F., 433–434(r)
Love, J. A., 456(r)
Lowther, P. E., 175–177
Ludwig, F. E., 190(r)
Lunais, B., 443–444(r)
MacArthur, R. H., 92(r)
Magnenat, D., 317–319(r)
Mahoney, S. A., 236–245
Mainguy, S. K., 203(r)
Marks, H. L., 315(r)
Marks, J. S., 181–182
Marteijn, E. C. L., 316(r)
Martin, R. F., 451(r)
Martinez, C., 90(r)
Mattox, W. G., 74(r), 82(r)
Mayaud, N., 311(r), 444(r)
Mayoh, K. R., 194(r)
Mazzone, R. W., 441–442(r)
McClure, E., 320(r)
McCulloch, C. E., 454(r)
McGregor, P. D., 452(r)
Mead, C. J., 80–81(r)
Mearns, R., 306–307(r), 441(r)
Melville, D. S., 445–446(r)
Mendez, A., 447–448(r)
Meritt, D. W., 314–315(r)
Merton, D. V., 196(r)
Meslow, E. C., 301(r)
Metais, M., 290–291(r)
Meyer, A. P. von, 311–312(r)
Migot, P., 431–432(r)
Mikkonen, A. V., 297(r)
Miles, D. B., 77(r)
Mindell, D. P., 82(r)
Mirarchi, R. E., 295(r)
Mock, D., 75–76(r)
Moeed, A., 310(r)
Moller, A. P., 74(r)
Monnat, J.-Y., 440–441(r)
Montevecchi, W. A., 208(r)
Moore, W. S., 450–451(r)
Morgan, R. P., 314–315(r)
Morin, M., 66–68
Morris, R. B., 196(r)
Morris, R. D., 294(r)
Morrison, M. L., 191(r), 301(r)
Mougin, J.-L., 447–448(r)
Mudge, G. P., 81(r)
Mulhauser, G., 291–292
Nagata, S. E., 165–174
National Committee for Confirmation 205(r), 444–445(r)
Naurois, R. de, 86–87(r)
Neily, W. P., 459(r)
Nelson, J. W., 206(r)
Nettleship, D. N., 246–250, 457–459(r)
Nicholls, T. J., 442(r)
Nietfeld, M. T., 204–205(r)
Nilsson, I. N., 301(r)
Nisbet, I. C. T., 178–181
Noakes, D. L. G., 77(r)
Nohr, D., 308(r)
Nol, E., 193(r)
Norton, R. L., 416–418
Obukhova, N. Yu., 443(r)
O'Donnell, C. F. J., 83(r)
Ohmart, R. D., 437–439(r)
Olden, Bertil, 17–22
Olivier, G., 433(r)
Olson, R. A., 97–112
Olson, S. L., 314(r)
Oring, L. W., 334–345
Osborn, D., 81(r)
Paicos, P., 56–64
Paladino, F. V., 203(r)
Panov, E. N., 192–193(r)
Papi, F., 430(r)
Parker, K. E., 412–413
Pascoe, J. G., 293(r)
Paton, D. C., 199(r)
Patton, S. R., 158–164
Payevskii, V. A., 299(r)
Payne, R. B., 92(r)
Perdeck, A. C., 191(r)
Petersen, K. L., 23–27
Peterz, M., 17–22
Petrinovich, L., 453–454(r)
Pettifor, R. A., 317(r)
Pettit, T. N., 277–280
Piatt, J., 208(r)
Picozzi, N., 72(r)
Pierce, R. J., 89–90(r)
Pitts, T. D., 422–424
Platter-Reiger, M. F., 84(r)
Ponomareva, T. S., 75(r)
Posen, M., 195(r)
Potts, W. K., 75(r)
Powell, F. L., 441–442(r)
Powers, L. R., 439(r)
Prescott, D. R. C., 419
Prevett, J. P., 203(r)
Price, T. D., 89(r), 316(r)
Prince, H. H., 301–302(r)
Prince, P. P., 295(r)
Purdy, M. A., 68–69
Quinney, T. E., 82(r)
Raikow, R. J., 449(r)
Rajala, P., 93(r)
Ralph, C. J., 165–174
Ralph, C. P., 165–174
Ramo, C., 432(r)
Ramsay, A. D. K., 441(r)

Ranoszek, E., 303(r)
Reed, A., 201(r)
Reed, J. M., 131–137
Reimchen, T. E., 198–199(r)
Renevey, B., 82–83(r)
Rhodenizer, G., 79(r)
Rice, J., 437–439(r)
Ricklefs, R. E., 77(r), 296(r), 300(r), 315(r)
Rintamaki, H., 309(r)
Risebrough, R. W., 82(r)
Ritchison, G., 280–282
Roberts, J. R., 442(r)
Robertson, C. J. R., 206(r)
Robertson, R. J., 299–300(r)
Robertson, R. R., 434–435(r)
Rockwell, R. F., 442(r)
Rosapepe, J. V., 82(r)
Roseneau, D. G., 82(r)
Rothstein, S. I., 356–368
Roux, F., 449–450(r)
Ruiz, X., 316(r)
Rundle, W. D., 208–209(r)
Saari, L., 93–94(r)
Safina, C., 84–85(r)
Sallaberry, A. M., 275–277
Sanger, G. A., 457–459(r)
Saunders, D. A., 313–314(r)
Saurola, P., 72(r)
Savard, J.-P. L., 177–178
Sayre, M. W., 208–209(r)
Schamel, D., 282–283
Schick, C. T., 265–272
Schluter, D., 206–207(r), 316(r)
Schmid, T., 291–292(r)
Schneider, K. J., 196(r)
Schodde, R., 313–314(r)
Schoeraart, S., 196(r)
Schoonover, L., 80(r)
Schreiber, E. A., 78–79(r)
Schreiber, R. W., 236–245, 78–79(r)
Schricke, V., 85–86(r), 446(r)
Schroeder, C., 80(r)
Schubert, A., 291–292(r)
Schuler, W., 435–436(r)
Scott, P. E., 451(r)
Scotter, G. W., 459(r)
Sealy, S. G., 73(r), 295(r), 297(r)
Seaman, G. A., 416–418
Searcy, W. A., 453(r)
Seasholtz, R. G., 72(r)
Seguin, R. J., 190(r)
Semm, P., 307–308(r)
Serie, J. R., 439(r)
Sevennes, C., 316(r)
Seymour, R. S., 84(r)
Sharp, D. E., 73–74(r), 439(r)
Shaw, P., 296–297(r)
Shumakov, M. E., 299(r)
Shy, E., 209(r)
Sileo, L., 201(r)
Simmons, R., 300(r)
Simpson, S. G., 182–184
Sirokhin, I. N., 199–200(r)
Sjouken, R., 196(r)
Skira, I. J., 83(r)
Skorupa, J. P., 369–378
Smirenskaya, E. M., 307(r)
Smith, G. T., 313–314(r)
Smith, J. A., 442(r)
Smith, L. M., 286–289
Smith, P. C., 300(r)
Soikkeli, M., 300(r)
Sokolov, L. V., 299(r)
Somes, R. G., 320(r)
Sonin, V. D., 199–200(r)
Soucy, L. J., Jr., 274
Spaans, A. L., 192(r)
Speek, G., 191(r)
Spofford, S. H., 451(r)
Springer, A. M., 82(r)
Springer, P. F., 457–459(r)
Stangel, P. W., 1–8
Stenning, M. J., 432–433(r)
Stet, R., 196(r)
Stewart, R. E., 74(r), 184–187
Stowe, T. J., 80(r)
Sueur, F., 87(r)
Sulkin, S. T., 314–315(r)
Summers, R. W., 313(r)
Swann, R. L., 441(r)
Sweeney, T. M., 251–257
Swenson, J. E., 87(r)
Swineford, D. M., 201–202(r)
Tacha, T. C., 258–264, 303(r)
Tamliev, A. O., 95(r)
Tamm, S., 435(r)
Teather, K. L., 299–300(r)
Terrill, S. B., 429(r)
Teyssedre, A., 207(r)
Thomas, A., 440–441(r)
Thomas, D. K., 299(r)
Thomas, T., 446–447(r)
Thomas, V. G., 203(r)
Thomson, T., 95–96(r)
Thurow, T. L., 91(r)
Toland, B., 419–422
Tracey, D. N., 282–283
Trail, P. W., 298(r)
Trauger, D. L., 439(r)
Triplet, P., 451–452(r)
Trotignon, J., 87–88(r)
Tulloch, R. J., 441(r)
Underwood, L. A., 80(r)
Unitt, P., 212(r)

Vakoch, D. L., 208(r)
Valencia, D. J., 275–277
Van Balen, J. H., 193(r)
Vander Wall, S. B., 90–91(r)
Van der Zande, A. N., 304(r)
Vangilder, L. D., 286–289
Van Rhijn, J., 296(r)
Vazquez-Yanes, C., 451(r)
Vermeer, K., 451(r)
Verstrael, T. J., 304(r)
Vicari, C., 291–292(r)
Vinogradova, N. V., 299(r)
Visbeek, G., 447–448(r)
Vleck, C. M., 84(r)
Vleck, D., 84(r)
Vogelzang, F., 196(r)
Vohs, P. A., 258–264, 303(r)
Vohs, P. A., Jr., 302(r)
Vollrath, L., 307–308(r)
VonMeyer, A. P., 206(r)
Vronskii, N. V., 292(r)
Vuilleumier, F., 314(r)
Waite, R. K., 434(r)
Walker, W., II, 82(r)
Wallraff, H. G., 429–430(r)
Walton, D. W. H., 295(r)
Wammes, D. F., 82(r)
Wander, S. A., 69
Wander, W., 69
Wanless, S., 81(r)
Warhurst, R. A., 194(r)
Warner, R. E., 302(r)
Warnes, J. W., 307(r)
Watt, J. N., 206(r)
Weigt, L. A., 89(r)
Wheldrake, J. F., 442(r)
Whitcomb, R. F., 200–201(r)
White, C. M., 91(r)
Whiteside, R. W., 80(r)
Whitton, G. C., 277–280
Wiens, J. A., 198(r)
Wiklund, C. G., 432(r)
Wilcove, D. S., 200–201(r), 440(r)
Wiltschko, W., 308(r)
Winkler, D. W., 202–203(r)
Winkler, H., 436(r)
Wit, A. A. N. de 192(r)
Wodzicki, K., 206(r)
Wolinski, R. A., 426–427
Wood, D. S., 424–425, 459–461(r)
Worrall, D. H., 316–317(r)
Yablonkevich, M. L., 299(r)
Yasukawa, K., 453(r)
Yoder-Williams, M. P., 191(r)
Young, L. S., 210(r)
Young, W. J., 200(r)
Yuwick, R. P., 138–152
Zach, R., 194(r)
Zhalakyavichyus, M. M., 292(r)
Zink, R. M., 90(r)
Zubakin, V. A., 197(r)
Zwickel, F. C., 204–205(r)
Zykova, L. Iu., 192–193(r)

Subject Index

The subject index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities (e.g., Christmas Island, the Galapagos Islands); listings under the same headings under which reviews are categorized; and a few additional headings that reflect more specific topics (e.g., Techniques). Since reviews are arranged by subject and cross-referenced within the review sections of the journal, they are here indexed primarily by geographic location.

Alabama, 295, 334–345, 351
Alaska, 82, 108, 111, 182–184, 191, 282–283, 286, 457
Alberta, 53, 184, 186, 334–345
Algeria, 444
Antarctica, 199, 275–277, 293, 446–448, 460
Argentina, 460
Arizona, 9–16, 191, 453
Arkansas, 351
Australia, 310, 313, 460
Azores, 207, 321
Bahamas, 339
banding and longevity
  Barn-Owl, Common, 274
  Bufflehead, 177–178
  Duck, American Black, 277
  Flicker, Northern, 403–405
  Gadwall, 177–178
  Goldeneye, Barrow's, 177–178
  Grebe, Horned, 177–178
  Hawk, Ferruginous, 184–187
  penguins, 275–277
  Pigeon, White-crowned, 416–418
  Shoveler, Northern, 177–178
  Sparrow, American Tree, 406–407
  Swan, Tundra, 182–184
  Teal, Blue-winged, 177–178
  Tern, Common, 178–181
    Least, 405–406
  Warbler, Blue-winged, 424–425
  Wigeon, American, 177–178
Barbados, 339
Barbuda, 416–418
behavior
  Crane, Sandhill, 258–264
  flight
    cranes, 409–410
    hawks, vultures, falcons, 394–402
    Tern, Common, 427
      Sandwich, 427
      White, 427–428
  interspecific
    Blackbird, Red-winged, 175–177
    Chickadee, Black-capped, 30
      Boreal, 30
    Cowbird, Brown-headed, 175–177
    Crow, American, 425–426
    Harrier, Northern, 283–284
    Kinglet, Golden-crowned, 30
    Pheasant, Ring-necked, 283–284
    Raven, Common, 425–426
    Sparrow, Chipping, 30
    Warbler, Blackburnian, 30
    Black-throated Green, 30
    Yellow, 175–177
Kinglet, Golden-crowned, 31–32
Oystercatcher, American, 415–416
  roosting
    Cardinal, Northern, 71
    Catbird, Gray, 71
    Mockingbird, Northern, 71
    Phoebe, Eastern, 71
    Robin, American, 71
    Sparrow, Song, 71
    Thrush, Wood, 71
  territorial
    Kinglet, Golden-crowned, 30
    Mockingbird, Northern, 69–71
    Swan, Tundra, 182–184
Belgium, 190, 198, 290, 445, 446
Belize, 424–425
Bering Sea, 82
Bermuda, 274, 339
Brazil, 89
British Columbia, 68–69, 177–178, 191, 198, 205, 297, 324, 451, 457
California, 6–7, 41, 66, 185–186, 191, 202, 212, 286, 321, 324, 356–368, 369–378, 453, 454, 458
Canary Islands, 207
Chile, 206, 311–312, 460
Christmas Island, 78
Colorado, 77, 88, 184–187, 191, 204, 415
Connecticut, 138–152, 334–345, 407–408
conservation and environmental quality
  Barn-Owl, Common, 224–235
  Cowbird, Brown-headed, 407–408
  Creeper, Brown, sensitivity to logging, 15
  Loon, Common, 412–413
  Pigeon, White-crowned, 416–418
  Tern, Least, 405–406
Cuba, 339

Delaware, 334–345
Denmark, 311, 445
Dominican Republic, 339
East Africa, 460
ecology
  Barn-Owl, Common, 224–235
  Dunlin, 265–272
  Heron, Great Blue, 379–380
  Phalarope, Red, 321–333
    Red-necked, 321–333
Ecuador, 78, 339
El Salvador, 351
England, 73, 80, 81, 190, 194, 205, 290, 317, 444, 445, 456
Estonia, 292
evolution and genetics
  Tern, Least, 405–406
Fiji, 310
Finland, 72, 93–94, 295–296, 297, 298, 300, 309
Florida, 65–66, 158–164, 321–333, 334–345, 440
food and feeding
  analysis of droppings, 165–174
  Brant, 286–289
  Chickadee, Black-capped, 58, 418
    Mountain, 15
  Creeper, Brown, 9–16
  Crossbill, Red 187–189
  Dunlin, 265–272
  Finch, Cassin's, 187–189
    House, 370
  Goshawk, 415
  Grosbeak, Evening, 187–189
  Hawk, Cooper's, 419–422
  Heron, Great Blue, 379–387
  Ibis, White, 413–414
  Kinglet, Golden-crowned, 34–36
  Loon, Common, 412–413
  Nuthatch, White-breasted, 15
  Robin, American, 369–378
  Siskin, Pine, 187–189, 419
  Sparrow, House, 419
  Starling, European, 369–378
  Titmouse, Tufted, 418
  Tree-creeper, Eurasian, 13
  Woodpecker, Downy, 14–15, 56–64
France, 85–86, 87–88, 190, 194, 203–204, 205, 207, 290, 291, 293, 294, 297, 303–304, 312, 317–318, 430–431, 431–432, 433, 434, 440–441, 444–445, 446, 451–452
Galapagos Islands, 89, 206, 300, 316
Georgia, 317, 321–333, 334–345
Germany, 190, 444, 445
Ghana, 296
Greenland, 74, 82, 444, 459
Guatemala, 351
Guinea, 190–191, 444
Haiti, 339
Hawaii, 66, 165–174, 277–280, 310
Hispaniola, 455
Hungary, 290
Idaho, 23–27, 91, 181–182, 184, 191, 383, 439
Illinois, 144, 302, 338, 341, 351
Indiana, 338, 341
Indian Ocean, 209
Iowa, 41, 175–177, 184–187, 334–345, 353
Ireland, 205, 290
Italy, 430
Ivory Coast, 191, 449–450
Jamaica, 339
Kansas, 184–187, 405–406
Kentucky, 280–282
Kerguelen Islands, 446, 447
Korea, 277
Kure Atoll, 66–68
Labrador, 246–250
Latvia, 292
Liberia, 191, 449–450
Libya, 444
Lithuania, 292
Louisiana, 334–345, 351
Luxembourg, 445
Madagascar, 460
Madeira, 207
Maine, 138–152, 334–345, 405
Mali, 72
Manitoba, 73, 190, 284–286, 301–302, 334–345
Marianas, 427–428
Maritime Provinces, 138–152
Maryland, 71, 201, 334–345, 415–416
Massachusetts, 1–8, 138–152, 178–181, 334–345, 424
Mauritania, 444
Mexico, 184–187, 339, 350, 351, 424, 451, 458
Michigan, 144, 190, 334–345, 346–355, 424–425, 426–427
Midway Atoll, 236–245, 433
migration, orientation, and homing
  Barn-Owl, Common, 274
  Duck, American Black, 277
  Falcon, Peregrine, 395–396
  Harrier, Northern, 396
  Hawk, Broad-winged, 394–402
    Cooper's, 396
    Ferruginous, 184–187
    Red-shouldered, 396
    Sharp-shinned, 346–355, 394–402
    Swainson's, 394–402
  Kestrel, American, 394–402

Kite, Mississippi, 394–402
Kittiwake, Black-legged, flight speed, 17–22
Osprey, 396
Vulture, Black, 396
Turkey, 394–402
Warbler, Blue-winged, 424–425
Woodpecker, Black-backed, 138–152
Three-toed, 138–152
Minnesota, 28–40, 334–345, 346–355, 383, 384
Mississippi, 334–345
Missouri, 208, 351, 418, 419–422
Montana, 77, 87, 88, 131–137, 187–189, 191, 334–345
Morocco, 444, 448–449
morphology and anatomy
Coot, American, 41–55
Dunlin, 265–272
Gull, Laughing, 158–164
mortality
Hawk, Ferruginous, 184–187
Kinglet, Golden-crowned, 38–39
penguin, 275–277
Nebraska, 77, 78, 88, 184–187, 258–264, 334–345
nesting and reproduction
Cardinal, Northern, 71
Catbird, Gray, 71
Frigatebird, Great, 236–245
Goose, Tule White-fronted, 286
Goshawk, Northern, 97–112
Hawk, Cooper's, 97–112
Sharp-shinned, 97–112
Killdeer, 284–286
Kinglet, Golden-crowned, 28–40
Loon, Red-throated, 282–283
Magpie, Black-billed, 153–157
Mockingbird, Northern, 71
Noddy, Black, 66–68, 277–280
Noddy, Brown, 277–280
Owl, Long-eared, 181–182
Robin, American, 71
Screech-Owl, Eastern, 65–66
Sparrow, Brewer's, 23–27
Sparrow, Song, 71
Sparrowhawk, European, 97–112
Swallow, Barn, 426–427
Thrush, Wood, 71
Waterthrush, Northern, 69
Netherlands, 192, 196, 290, 304, 444, 445, 446
Netherlands-Antilles, 339
Nevada, 304
New Brunswick, 284–286, 300, 324, 334–345
Newfoundland, 334–345, 458, 459
New Hampshire, 77, 138–152, 341, 425–426
New Jersey, 69, 138–152, 274, 286–289, 334–345, 394, 399
New Mexico, 191
New York, 56–64, 138–152, 198, 286–289, 334–345, 399, 406–407, 412–413
New Zealand, 83, 89, 196, 206, 310, 445–446, 460
Niger, 444
North Carolina, 69–71, 317, 321–333, 334–345
North Dakota, 73, 74, 77, 78, 80, 83–84, 88, 184–187, 283–284, 303, 314, 334–345
North Sea, 80, 81
Northwest Territories, 459
Norway, 17–22, 444, 452
Nova Scotia, 79, 82, 324, 334–345, 388–393
Ohio, 95–96, 145, 146, 224–235, 338, 341, 383
Oklahoma, 41–55, 184–187, 302
Ontario, 58, 77, 113–124, 138–152, 193, 203, 284–286, 299–300, 334–345, 351, 353
Oregon, 97–112, 191, 286, 301, 304
Panama, 399, 424
Pennsylvania, 138–152, 338, 341, 351, 421
Peru, 78
physiology
Robin, American, 369–378
Noddy, Black, 277–280
Brown, 277–280
Owl, Great-horned, 65–66
Screech-Owl, Eastern, 65–66
plumages and molt
Bluebird, Eastern, 422–424
Coot, American, head plumage, 41–55
Finch, Purple, Molt, 1–8
Flicker, Common, 403–405
Goshawk, Northern, 97–112
Gull, Ring-billed, 113–124
Hawk, Cooper's, 97–112
Sharp-shinned, 97–112
Murre, Common, 246–250
Thick-billed, 246–250
Razorbill, 246–250
Screech-Owl, Eastern, development, 65–66
Sparrow, White-crowned, 356–368
Sparrowhawk, European, 97–112
Poland, 190
population dynamics
Barn-Owl, Common, 224–235
female-female associations, 125–130
songbird censusing, 213–223
Tern, Least, 405–406
Portugal, 190
Prince Edward Island, 334–345
Puerto Rico, 339, 416–418

Quebec, 138–152, 201, 284–286, 334–345, 419
Rhode Island, 138–152, 334–345
Russia, 76, 79, 95, 190, 192–193, 197, 199, 292, 293, 299, 305–306, 307, 443, 446
Saskatchewan, 184–185, 284–286, 334–345
Scandinavia, 17–22, 190
Scotland, 72, 80, 81, 202, 299, 303, 306, 307, 313, 316, 439, 441
Senegal, 310–311, 444
Shetland, 295
Sierra Leone, 444
Somalia, 290
songs and vocalizations
  Kinglet, Golden-crowned, 29–30
  Mockingbird, Northern, 69–71
  songbird censusing, 213–223
  Towhee, Rufous-sided, 280–282
  Wren, Carolina, 281
South Africa, 411–412, 460
South Carolina, 41–55, 321–333, 334–345, 413–414, 440
South Dakota, 41–55, 77, 88, 184–187, 334–345, 379–387
South Georgia Islands, 295
Spain, 90, 190, 207, 316, 409, 410
statistical methods, flight speed determination, 17–22
Sudan, 444
Surinam, 298
Sweden, 17–22, 94, 108, 190, 301, 311, 399, 432, 439–440
Switzerland, 82–83, 305, 317–318, 445
techniques
  analysis of droppings, 165–174
  censusing pelagic birds, 411–412
  censusing songbirds, 213–223
  dye-marking loons, 282–283
  mirrored windows in blinds, 68–69
  owl pellet preparation, 277
  patagial tags, vultures, 251–257
  radar studies of migrants, 394–402
  radioactive tags on terns, 388–393
  remote sensing of phalarope habitats, 321–333
  trapping waterfowl, 177–178
  sexing Laughing Gulls, 158–164
  territory size determination, 131–137
Tennessee, 351, 422–424, 437
Texas, 41–55, 80, 184–187, 200, 201–202, 303, 305, 334–345, 394–402, 405–406
Trinidad, 460
Tunisia, 444
Venezuela, 432
Vermont, 138–152, 456
Virginia, 251–257, 277, 286–289, 334–345, 424
Virgin Islands, 339, 416–418
Washington, 153–157, 191, 265–272, 304
West Africa, 86–87, 443–444, 449–450
West Germany, 105, 445, 446
West Indies, 339
wildlife management and economic ornithology
  Creeper, Brown, sensitivity to logging, 15
  Robin, American, 369–378
  Starling, European, 369–378
Wisconsin, 41, 97, 108–111, 144, 190, 213–223, 334–345, 347, 351, 353, 383, 403–405
Wyoming, 77, 88, 184–187
zoogeography and distribution
  Hawk, Ferruginous, 184–187
  Noddy, Black, 66–68
  Phalarope, Red, 321–333
    Red-necked, 321–333
  Pigeon, White-crowned, 416–418
  Plover, Piping, 334–345
  Warbler, Blue-winged, 424–425
  Woodpecker, Black-backed, 138–152
    Three-toed, 138–152

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

Accipiter brevipes, 306
A. cooperii, 97–112, 352, 415, 419–422
A. gentilis, 97–112, 291–292, 304, 415
A. nisus, 97, 196, 291–292, 294, 304, 306
A. striatus, 97–112, 346–355, 394–402
Acridotheres tristis, 166, 310
Acrocephalus arundinaceus, 436
A. schoenobaenus, 209, 299
A. scirpaceus, 191, 209, 303
Actitis hypoleucos, 439, 447
A. macularia, 416
Aegithalos caudatus, 195, 318
Aegolius funereus, 90–91, 295–296, 319, 433
Aethia cristatella, 82, 295
A. pusilla, 85, 295
Agelaius phoeniceus, 175–177, 208, 209, 303, 420, 453
Ajaia ajaja, 404
Akepa, see *Loxops coccineus*
Akiapolaau, see *Hemignathus munroi*
Alaemon alaudipes, 444
Alauda arvensis, 318
Albatross, Black-browed, see *Diomedia melanophris*
Black-footed, see *D. nigripes*
Gray-headed, see *D. chrysostoma*
Laysan, see *D. immutabilis*
Light-mantled Sooty, see *Phoebetria palpebrata*
Shy, see *Diomedia cauta*
Sooty, see *Phoebetria fusca*
Yellow-nosed, see *Diomedia chlororhynchos*
Alca torda, 80, 81, 246–250, 440, 441, 444
Alectoris graeca, 82–83
Alectura lathami, 84
Alle alle, 80, 81
Amakihi, Common, see *Hemignathus virens*
Ammodrammus henslowii, 456
Ammomanes cincturus, 443
A. dunni, 443
Anas, 315
A. acuta, 86, 301–302, 305, 317, 460
A. americana, 178, 205, 305
A. clypeata, 86, 178, 301–302
A. crecca, 86, 88, 198, 305, 317
A. discors, 178, 301–302, 415
A. eatoni, 446
A. formosa, 445
A. fulvigula, 314
A. penelope, 86
A. platyrhynchos, 73–74, 79, 86, 194, 277, 301–302, 305, 309, 314, 436, 455
A. rubripes, 201, 277, 290, 314
A. strepera, 73–74, 86, 88, 178, 301–302, 310, 317
Anhinga, see *Anhinga anhinga*
Anhinga anhinga, 397
Anous minutus, 66–68, 277–280
A. stolidus, 277–280, 460
Anser albifrons, 86, 446
A. anser, 86, 446
A. caerulescens, see *Chen caerulescens*
A. fabalis, 86, 446
A. querquedula, 86, 88
Anthus pratensis, 298
A. trivialis, 191
A. spinoletta, 83
Antwren, Checker-throated, see *Myrmotherula fulviventris*
Apapane, see *Himatione sanguinea*
Aptenodytes forsteri, 447–448
Apus affinus, 443
Aquila chrysaetos, 251, 439
Archaeopteryx, 203
Ardea cinerea, 310
A. herodias, 75–76, 82, 379–387
A. purpurea, 88, 311
Asio capensis, 444
A. flammeus, 88, 319, 444
A. otus, 90, 181–182, 301
Athene cunicularia, 89, 319
A. noctua, 432
Auklet, Cassin's, see *Ptychoramphus aleuticus*
Crested, see *Aethia cristatella*
Rhinoceros, see *Cerorhinca monocerata*
Avocet, American, see *Recurvirostra americana*
Aythya, 315
A. americana, 314
A. collaris, 198
A. ferina, 86, 305, 309
A. fuligula, 86, 88, 194, 305, 318
A. marila, 86
A. valisineria, 314, 439
Barn-Owl, Common, see *Tyto alba*
Bee Eater, European, see *Merops apiaster*
Bittern, Little, see *Ixobrychus minutus*
Blackbird, see *Turdus merula*
Brewer's, see *Euphagus cyanocephalus*
Red-winged, see *Agelaius phoeniceus*
Rusty, see *Euphagus carolinus*
Blackcap, see *Sylvia atricapilla*
Bluebird, Eastern, see *Sialia sialis*

Bobwhite, Northern, see *Colinus virginianus*
Booby, Blue-footed, see *Sula nebouxii*
Brachyramphus marmoratus, 459
Brambling, see *Fringilla montifringilla*
Brant, see *Branta bernicla*
Branta bernicla, 86, 183, 286–289, 445, 457
B. canadensis, 80, 190, 194, 203, 302
B. leucopsis, 86, 306, 446
Bubo bubo, 304, 443–444
B. virginianus, 65–66, 74
Bucephala albeola, 178
B. clangula, 94
B. islandica, 177–178, 445
Bufflehead, see *Bucephala albeola*
Bulbulcus ibis, 311, 316
Bunting, Indigo, see *Passerina cyanea*
Ortolan, see *Emberiza hortulana*
Burhinus oedicnemus, 443–444
Bustard, Arabian, see *Choriotis arabs*
Houbara, see *Chlamydotis undulata*
Buteo buteo, 291, 294
B. lagopus, 205, 439
B. lineatus, 201, 395–396
B. jamaicensis, 74, 251, 439
B. platypterus, 394–402
B. regalis, 74, 89, 96, 184–187, 439
B. swainsonii, 74, 96, 394–402
Buzzard, Common, see *Buteo buteo*
Calandrella calandrella, 433–444
Calcarius mccownii, 96
C. ornatus, 96, 132
Calidris alba, 269, 441
C. alpina, 75, 202, 265–272, 316–317, 452
C. ferruginea, 447, 452
C. fuscicollis, 445
C. maritima, 313
C. minuta, 452
C. minutilla, 205
Callaeas cinerea, 83
Calonectris diomedia, 411
Canvasback, see *Aythya valisineria*
Capercaille, see *Tetrao urogallus*
Caprimulgus carolinensis, 420
C. vociferus, 420
Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 71, 172, 420, 456
Carduelis carduelis, 318
C. chloris, 318
C. flammea, 298, 312, 318, 419
C. pinus, 318, 419
C. tristis, 78, 420
Carpodacus cassinii, 187–189
C. mexicanus, 370
C. purpureus, 1–8
Casmerodius albus, 75–76, 445
Catbird, Gray, see *Dumetella carolinensis*
Catharacta antarctica, 411
C. skua, 96, 295
Cathartes aura, 251–257, 394–402
Centrocercus urophasianus, 89
Centropus grillii, 191
Cepphus grylle, 85, 441
Cerorhinca monocerata, 457
Certhia, 195
C. familiaris, 9–16
Chaffinch, see *Fringilla coelebs*
Charadrius alexandrinus, 297, 310
C. hiaticula, 202, 297, 439, 452
C. melodus, 78, 334–345
C. montanus, 77, 89, 297
C. vociferus, 89, 193, 284–286, 297
Chasiempis sandwichensis, 172
Chat, Yellow-breasted, see *Icteria virens*
Chen caerulescens, 183, 190, 201, 203, 286, 288, 302, 446
Chickadee, Black-capped, see *Parus atricapillus*
Boreal, see *P. hudsonicus*
Carolina, see *P. carolinensis*
Mountain, see *P. gambeli*
Chionis alba, 206
C. minor, 447
Chlamydotis undulata, 75
Chlidonias hybridus, 88
Chordeiles minor, 89
Choriotis arabs, 443
Chuck-will's-widow, see *Caprimulgus carolinensis*
Circaetus gallicus, 291
Circus aeruginosus, 88, 191, 291–292
C. cyaneus, 72, 89, 196, 283–284, 294, 300, 352, 396
C. pygargus, 291–292
Cistothorus platensis, 243, 456
Clangula hyemalis, 457
Coccothraustes vespertinus, 187–189
Coccyzus americanus, 420
Cock of the Rock, see *Rupicola rupicola*
Colaptes auratus, 403–405, 420, 450
Colinus virginianus, 202, 420
Columba fasciata, 89
C. leucocephala, 416
C. livia, 89, 307–309, 420, 429, 430, 443
C. oenas, 93–94, 204, 318
C. palumbus, 93–94, 204, 318
Columbina, 89
Contopus sordidulus, 90
C. virens, 90
Coot, American, see *Fulica americana*
Common, see *F. atra*
Coragyps atratus, 251–257, 396
Cormorant, Cape, see *Phalacrocorax capensis*
Great, see *P. carbo*
Kerguelen, see *P. verrucossus*

Corvus brachyrhynchos, 420, 425–426
C. corax, 74, 83, 251, 304, 306, 318, 425–426
C. corone, 83, 318, 434, 435, 439
C. frugilegus, 434
C. hawaiiensis, 172
C. monedula, 434
C. ruficollis, 444
Coturnix chinensis, 442
C. coturnix, 315, 320
C. pectoralis, 442
Coucal, Black-chested, see *Centropus grillii*
Courser, Cream-colored, see *Cursorius cursor*
Cowbird, Brown-headed, see *Molothrus ater*
Crane, Common, see *Grus grus*
Japanese, see *G. japonensis*
Sandhill, see *G. canadensis*
Whooping, see *G. americana*
Creeper, Brown, see *Certhia familiaris*
Hawaii, see *Oreomystis mana*
Cristicola juncidis, 88
Crossbill, Parrot, see *Loxia pytyopsittacus*
Red, see *L. curvirostra*
Crow, American, see *Corvus brachyrhynchos*
Carrion, see *C. corone*
Hawaiian, see *C. hawaiiensis*
Hooded, see *C. corone*
Eurasian, see *C. corone*
Cuckoo, Common, see *Cuculus canorus*
Yellow-billed, see *Coccyzus americanus*
Cuculus canorus, 298
Curlew, see *Numenius arquata*
Long-billed, see *N. americanus*
Stone, see *Burhinus oedicnemus*
Cursorius cursor, 443
Cyanocitta cristata, 419–420
C. stelleri, 191–192
Cygnus columbianus, 86, 182–184, 288, 306
C. cygnus, 86
C. olor, 86, 303, 318, 441
Daptione capense, 448
Delichon dasypus, 199
D. urbica, 318
Dendragapus obscurus, 204, 205
Dendroica, 315
D. castanea, 456
D. coronata, 418
D. discolor, 437
D. dominica, 455
D. fusca, 30
D. magnolia, 455
D. petechia, 84, 175–177
D. virens, 30, 459
Diomedia cauta, 411
D. chlororhynchos, 411
D. chrysostoma, 295, 446
D. immutabilis, 433
D. melanophris, 411, 446
D. nigripes, 433
Diving-Petrel, Common, see *Pelecanoides urinatrix*
Dove, Laughing, see *Streptopelia senegalensis*
Mourning, see *Zenaida macroura*
Rock, see *Columba livia*
Stock, see *C. oenas*
Dovekie, see *Alle alle*
Dryocopus martius, 203, 296
D. pileatus, 420
Duck, American Black, see *Anas rubripes*
Eaton's, see *Anas eatoni*
Ruddy, see *Oxyura jamaicensis*
Tufted, see *Aythya fuligula*
Dumetella carolinensis, 41, 420
Dunlin, see *Calidris alpina*
Eagle, Bald, see *Haliaeetus leucocephalus*
Bonelli's, see *Hieraaetus fasciatus*
Booted, see *H. pennatus*
Golden, see *Aquila chrysaetos*
Short-toed, see *Circaetus gallicus*
White-tailed Sea, see *Haliaeetus albicilla*
Egret, Great, see *Casmerodius albus*
Egretta gularis, 445
Eider, Common, see *Somateria mollissima*
Elanus caeruleus, 445
Elepaio, see *Chasiempis sandwichensis*
Emberiza, 293
E. hortulana, 191
E. schoeniclus, 318
Empidonax alnorum, 90
E. euleri, 90
E. hammondii, 459
E. trailli, 90
Eremophila alpestris, 77
Eremopterix nigriceps, 443
Erithacus megarhynchos, 191
Eudocimus albus, 413–414
E. ruber, 404
Eudyptes chrysolophus, 312
E. crestatus, 312
Euphagus carolinus, 456
E. cyanocephalus, 96
Falco biarmicus, 443
F. columbarius, 196, 291–292, 310
F. mexicanus, 251
F. nordmanni, 205
F. peregrinus, 74, 82, 291, 303, 318, 395–396, 441, 443
F. rusticolus, 74
F. sparverius, 394–402
F. subbuteo, 88
F. tinnunculus, 291–292, 304, 317
F. vespertinus, 291

Falcon, Lanner, see *Falco biarmicus*
Peregrine, see *F. peregrinus*
Prairie, see *F. mexicanus*
Red-footed, see *F. vespertinus*
Saker, see *F. nordmanni*
Ficedula hypoleuca, 191, 429, 432–433
Fieldfare, see *Turdus pilaris*
Finch, Cassin's, see *Carpodacus cassinii*
House, see *C. mexicanus*
Medium Ground Finch, see *Geospiza fortis*
Purple, see *Carpodacus purpureus*
Rosy, see *Leucosticte arctoa*
Snow, see *Montifringilla nivalis*
Trumpeter, see *Rhodopechys githaginea*
Flamingo, Lesser, see *Phoeniconaias minor*
Flicker, Common, see *Colaptes auratus*
Flycatcher, Alder, see *Empidonax alnorum*
Euler's, see *E. euleri*
Hammond's, see *E. hammondii*
Pied, see *Ficedula hypoleuca*
Sao Tome Paradise, see *Terpsiphone atrochalybea*
Spotted, see *Muscicapa striata*
Willow, see *Empidonax traillii*
Fowl, Mallee, see *Leipoa ocellata*
Fratercula arctica, 80, 81, 205, 208, 441, 458
F. corniculata, 85
Fregata minor, 236–245
Frigatebird, Great, see *Fregata minor*
Fringilla coelebs, 297, 299, 318
F. montifringilla, 297, 298
Fulica americana, 41–55, 74, 434
F. atra, 88, 318
Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 82, 206, 441, 457
F. glacialoides, 448
Gadwall, see *Anas strepera*
Galerida cristata, 443
Gallinago gallinago, 202, 439
G. media, 205, 296
Gallirallus australis, 83
Gallus domesticus, 320
Gannet, Cape, see *Sula capensis*
Garganey, see *Anser querquedula*
Gavia adamsii, 205
G. arctica, 282
G. immer, 282, 412–413, 440
G. stellata, 282–283, 313
Gelochelidon nilotica, 96, 311
Geospiza fortis, 89, 316
G. fuliginosa, 316
Geothlypis trichas, 77, 437
Glaucidium brasilianum, 319
G. capense, 449–450
G. castaneum, 450
G. gnoma, 319
G. passerinum, 294
Gnatcatcher, Blue-gray, see *Polioptila caerulea*
Godwit, Black-tailed, see *Limosa limosa*
Goldcrest, see *Regulus regulus*
Goldeneye, Barrow's, see *Bucephala islandica*
Common, see *Bucephala clangula*
Goldfinch, American, see *Carduelis tristis*
Goosander, see *Mergus merganser*
Goose, Barnacle, see *Branta leucopsis*
Bean, see *Anser fabalis*
Canada, see *Branta canadensis*
Graylag, see *Anser anser*
Snow, see *Chen caerulescens*
White-fronted, see *Anser albifrons*
Gorsachius leuconotus, 310
Goshawk, see *Accipiter gentilis*
Grackle, Common, see *Quiscalus quiscula*
Grebe, Black-necked, see *Podiceps nigricollis*
Great Crested, see *P. cristatus*
Horned, see *P. auritus*
Pied-billed, see *Podilymbus podiceps*
Greenshank, see *Tringa nebularia*
Grosbeak, Evening, see *Coccothraustes vespertinus*
Grouse, Black, see *Tetrao tetrix*
Blue, see *Dendragapus obscurus*
Sage, see *Centrocercus urophasianus*
Sharp-tailed, see *Tympanuchus phasianellus*
Willow, see *Lagopus lagopus*
Grus americana, 409
G. canadensis, 258–264, 303, 307, 409
G. grus, 307, 409–410
G. japonensis, 307, 409
G. leucogeranus, 307
Gull, Audouin, see *Larus audouinii*
Black-headed, see *L. ridibundus*
California, see *L. californicus*
Common, see *L. canus*
Franklin's, see *L. pipixcan*
Glaucous-winged, see *L. glaucescens*
Great Black-backed, see *L. marinus*
Grey-headed, see *L. cirrocephalus*
Herring, see *L. argentatus*
Iceland, see *L. glaucoides*
Kelp, see *L. dominicanus*
Laughing, see *L. atricilla*
Lesser Black-backed, see *L. fuscus*
Little, see *L. minutus*
Ring-billed, see *L. delawarensis*
Ross's, see *Rhodostethia rosea*
Sabine's, see *L. sabini*
Silver, see *L. novaehollandiae*

Western, see *L. occidentalis*
Yellow-legged Herring, see *L. cachinnans*
Gygis alba, 427–428
Gyrfalcon, see *Falco rusticolus*
Haematopus bachmani, 68–69
H. ostralegus, 73, 87, 202, 313, 316, 416, 439, 441, 451
H. palliatus, 415–416
Haliaeetus albicilla, 456
H. leucocephalus, 309, 439
Halobaena caerulea, 83, 312
Harrier, Hen, see *Circus cyaneus*
Marsh, see *C. aeruginosus*
Montagu's, see *C. pygargus*
Northern, see *C. cyaneus*
Hawk, Broad-winged, see *Buteo platypterus*
Cooper's, see *Accipiter cooperii*
Feruginous, see *Buteo regalis*
Red-shouldered, see *B. lineatus*
Red-tailed, see *B. jamaicensis*
Rough-legged, see *B. lagopus*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsonii*
Hemignathus munroi, 172
H. virens, 172
Heron, Gray, see *Ardea cinerea*
Great Blue, see *A. herodias*
Purple, see *A. purpurea*
Western Reef, see *Egretta gularis*
Heteroscelus incanus, 459
Hieraaetus fasciatus, 304
H. pennatus, 293
Himantopus himantopus, 88, 89, 310
H. mexicanus, 416
H. novaezealandiae, 89
Himatione sanguinea, 172
Hippolaius icterina, 445
H. polyglotta, 445
Hirundo rustica, 200, 426–427
Hobby, European, see *Falco subbuteo*
Hummingbird, Broad-tailed, see *Selasphorus platycerus*
Calliope, see *Stellula calliope*
Rufous, see *Selasphorus rufus*
Hydrobates pelagicus, 432
Hylocichla mustelina, 71, 429
Ibis, Scarlet, see *Eudocimus ruber*
White, see *E. albus*
Ichthyophaga australis, 314
Icteria virens, 437
Icterus galbula, 207–208, 420
Ictinia mississippiensis, 394–402
Iiwi, see *Vestiaria coccinea*
Ixobrychus minutus, 88
Jackdaw, see *Corvus monedula*
Jaeger, Long-tailed, see *Stercorarius longicaudus*
Parasitic, see *Stercorarius parasiticus*
Jay, Blue, see *Cyanocitta cristata*
Steller's, see *C. stelleri*
Junco, Dark-eyed, see *Junco hyemalis*
Junco hyemalis, 365
Kakapo, see *Strigops habroptilus*
Kestrel, American, see *Falco sparverius*
Common, see *F. tinnunculus*
Killdeer, see *Charadrius vociferus*
Kinglet, Golden-crowned, see *Regulus satrapa*
Kite, Black, see *Milvus migrans*
Black-shouldered, see *Elanus caeruleus*
Mississippi, see *Ictinia mississippiensis*
Red, see *Milvus milvus*
Kittiwake, Black-legged, see *Rissa tridactyla*
Kokakoe, North Island, see *Callaeas cinerea*
Lagopus lagopus, 93, 450
Lanius collurio, 445
L. excubitor, 444
Lapwing, Northern, see *Vanellus vanellus*
Lark, Bar-tailed Desert, see *Ammomanes cincturus*
Black-crowned Finch, see *Eremopterix nigriceps*
Crested, see *Galerida cristata*
Hoopoe, see *Alaemon alaudipes*
Horned, see *Eremophila alpestris*
Short-toed, see *Calandrella calandrella*
Larus argentatus, 85, 90, 125, 158, 192, 193, 207, 294, 388, 413–414, 431–432, 439, 441
L. atricilla, 158–164, 311
L. audouinii, 448
L. cachinnans, 207
L. californicus, 96, 125–130, 202, 440
L. canus, 90, 439
L. cirrocephalus, 311
L. delawarensis, 113–124, 125–130, 158, 190, 440, 444
L. dominicanus, 311, 411, 446
L. fuscus, 85, 90, 192, 207, 431–432, 439, 441
L. genei, 79, 311
L. glaucescens, 68–69
L. glaucoides, 445
L. marinus, 90, 388, 431–432, 439, 441
L. melanocephalus, 79
L. minutus, 441
L. novaehollandiae, 158
L. occidentalis, 125
L. pipixcan, 311, 397
L. ridibundus, 76, 79, 88, 90, 197, 441
L. sabini, 411
Leipoa ocellata, 84
Leiothrix lutea, 172

Leiothrix, Red-billed, see *Leiothrix lutea*
Leucosticte arctoa, 87
Limosa limosa, 88, 290
Locustella naevia, 191, 318
Longspur, Chestnut-collared, see *Calcarius ornatus*
McCown's, see *C. mccownii*
Loon, Arctic, see *Gavia arctica*
Common, see *G. immer*
Red-throated, see *G. stellata*
Yellow-billed, see *G. adamsii*
Lophodytes cucullatus, 445
Lophortyx gambelii, 202
Loxia curvirostra, 187–189, 318
L. pytyopsittacus, 445
Loxops coccineus, 172
Macronectes giganteus, 312, 447, 448
M. halli, 446
Magpie, Black-billed see *Pica pica*
Mallard, see *Anas platyrhynchos*
Martin, Asiatic House, see *Delichon dasypus*
House, see *D. urbica*
Pale Crag, see *Ptyonoprogne obsoleta*
Purple, see *Progne subis*
Meadowlark, Eastern, see *Sturnella magna*
Western, see *S. neglecta*
Melanerpes carolinus, 419–420
M. erythrocephalus, 420
Melanitta fusca, 457
M. nigra, 86, 441
Meleagris gallopavo, 320
Melospiza melodia, 71, 175, 454
Merganser, Common, see *Mergus merganser*
Hooded, see *Lophodytes cucullatus*
Mergus merganser, 94, 302, 309, 430
Merlin, see *Falco columbarius*
Merops apiaster, 90, 191
Micrathene whitneyi, 319
Milvus migrans, 291–292, 293, 304
M. milvus, 88, 291–292
Mimus polyglottos, 69–71
Molothrus ater, 78, 175–177, 299, 407–408, 420
Monticola saxatilis, 83
Montifringilla nivalis, 83
Moorhen, Common, see *Gallinula chloropus*
Motacilla cinerea, 318
M. flava, 191, 444
Murre, Common, see *Uria aalge*
Thick-billed, see *Uria lomvia*
Murrelet, Ancient, see *Synthliboramphus antiquus*
Marbled, see *Brachyramphus marmoratus*
Muscicapa striata, 191
Myna, Common, see *Acridotheres tristis*
Myrmotherula fulviventris, 436–437
Nighthawk, Common, see *Chordeiles minor*
Night-Heron, Black-crowned, see *Nycticorax nycticorax*
White-backed, see *Gorsachius leuconotus*
Nightingale, see *Erithacus megarhynchos*
Noddy, Black, see *Anous minutus*
Brown, see *A. stolidus*
Northern Mockingbird, see *Mimus polyglottos*
Nucifraga columbiana, 90–91, 459
Numenius americanus, 136, 182
N. arquata, 202, 439
N. phaeopus, 290
Nutcracker, Clark's, see *Nucifraga columbiana*
Nuthatch, Pigmy, see *Sitta pygmaea*
Red-breasted, see *S. canadensis*
White-breasted, see *S. carolinensis*
Nycticorax nycticorax, 88, 304, 311
Nymphicus hollandicus, 313
Oceanites oceanicus, 96
Oceanodroma leucorhoa, 310
Oenanthe deserti, 445
O. oenanthe, 83
Oldsquaw, see *Clangula hyemalis*
Oporornis philadelphia, 459
O. tolmiei, 301
Oreomystis mana, 172
Oriole, Northern, see *Icterus galbula*
Osprey, see *Pandion haliaetus*
Otus asio, 65–66, 319
Owl, African Marsh, see *Asio capensis*
Barn, see *Tyto alba*
Barred, see *Strix varia*
Boreal, see *Aegolius funereus*
Burrowing, see *Athene cunicularia*
Eagle, see *Bubo bubo*
Elf, see *Micrathene whitneyi*
Great Horned, see *Bubo virginianus*
Little, see *Athene noctua*
Long-eared, see *Asio otus*
Short-eared, see *A. flammeus*
Spotted, see *Strix occidentalis*
Tawny, see *S. aluco*
Tengmalm's, see *Aegolius funereus*
Owlet, Barred, see *Glaucidium capense*
Oystercatcher, American, see *Haematopus palliatus*
American Black, see *H. bachmani*
Eurasian, see *H. ostralegus*
Oxyura jamaicensis, 445
Pachyptila belcheri, 312
P. desolata, 83
Pagodroma nivea, 448
Pandion haliaetus, 79, 182, 291–292, 394–402, 443
Panurus biarmicus, 88
Partridge, Rock, see *Alectoris graeca*

Parus ater, 195, 318
P. atricapillus, 30, 58, 220, 418
P. bicolor, 418, 420, 456
P. caeruleus, 195
P. carolinensis, 418
P. cristatus, 195, 318
P. gambeli, 15
P. hudsonicus, 30
P. major, 193, 195, 196, 452
P. montanus, 195, 318
Passer domesticus, 1, 83, 166, 195, 311, 419, 420
P. simplex, 443
Passerculus sandwichensis, 136
Passerina cyanea, 420, 437
Pelagodroma marina, 444
Pelecanoides urinatrix, 83
Pelecanus occidentalis, 458
Pelican, Brown, see *Pelecanus occidentalis*
Penguin, Adelie, see *Pygoscelis adeliae*
Bearded, see *P. antarctica*
Chinstrap, see *P. antarctica*
Emperor, see *Aptenodytes forsteri*
Gentoo, see *Pygoscelis papua*
Jackass, see *Spheniscus demersus*
Macaroni, see *Eudyptes chrysolophus*
Rockhopper, see *E. crestatus*
Peregrine, see *Falco peregrinus*
Pernis apivorus, 291–292, 294
Petrel, Antarctic, see *Thalassoica antarctica*
Blue, see *Halobaena caerulea*
Bonin, see *Pterodroma nigripennis*
Giant, see *Macronectes giganteus*
Great-winged, see *Pterodroma macroptera*
Hall's Giant, see *Macronectes halli*
Pintado, see *Daptione capense*
Silver-gray, see *Fulmarus glacialoides*
Snow, see *Pagodroma nivea*
Phaeornis obscurus, 172
Phaethon aethereus, 311
Phalacrocorax aristotelis, 205, 441
P. capensis, 458
P. carbo, 243, 311
P. verrucossus, 446
Phalarope, Red, see *Phalaropus fulicaria*
Red-necked, see *P. lobatus*
Phalaropus fulicaria, 321–333, 457
P. lobatus, 321–333, 457
Phasianus colchicus, 80, 283–284, 302
Pheasant, Ring-necked, see *Phasianus colchicus*
Philomachus pugnax, 290, 296, 452
Phoebe, Eastern, see *Sayornis phoebe*
Phoebetria fusca, 446
P. palpebrata, 446
Phoeniconaias minor, 311
Phoenicurus phoenicurus, 318
Phylloscopus sibilatrix, 191
P. trochilus, 191
Pica pica, 153–157, 434, 439
Picoides arcticus, 138–152
P. pubescens, 15, 56–64, 420
P. tridactylus, 138–152
P. villosus, 420
Pigeon, Band-tailed, see *Columba fasciata*
White-crowned, see *C. leucocephala*
Wood, see *C. palumbus*
Pintail, Northern, see *Anas acuta*
Pipilo erythrophthalmus, 78, 280–282, 420
Pipit, Rock, see *Anthus spinoletta*
Tree, see *A. trivialis*
Piranga olivacea, 209, 420
Plover, Mountain, see *Charadrius montanus*
Piping, see *C. melodus*
Ringed, see *C. hiaticula*
Pochard, Common, see *Aythya ferina*
European, see *A. ferina*
Podiceps auritus, 73, 178
P. cristatus, 88, 310, 318
P. nigricollis, 88
Podilymbus podiceps, 84, 198
Polyoptila caerulea, 216, 456
Pooecetes gramineus, 131–137
Porzana carolina, 208
Prairie-chicken, Greater, see *Tympanuchus cupido*
Lesser, see *T. pallidicinctus*
Prion, Antarctic, see *Pachyptila desolata*
Narrow-billed, see *P. belcheri*
Progne subis, 397
Pterocles senegallus, 443
Pterodroma macroptera, 411
P. nigripennis, 433
Ptychoramphus aleuticus, 451
Ptyonoprogne obsoleta, 443
Puffin, Atlantic, see *Fratercula arctica*
Puffinus creatopus, 206
P. gravis, 310, 411, 458
P. griseus, 206, 312, 411, 457
P. puffinus, 411
Pygoscelis adeliae, 275–277, 447–448
P. antarctica, 275–277, 447
P. papua, 275–277, 447–448
Pyrrhocorax pyrrhocorax, 307
Pyrrhula pyrrhula, 318
Quail, Gambel's, see *Lophortyx gambelii*
Japanese, see *Coturnix coturnix*
King, see *C. chinensis*
Stubble, see *C. pectoralis*
Quiscalus quiscula, 303, 419–420
Rail, Water, see *Rallus aquaticus*
Rallus aquaticus, 318
Raven, Brown-necked, see *Corvus ruficollis*
Razorbill, see *Alca torda*

Recurvirostra americana, 416
Redpoll, Common, see *Carduelis flammea*
Redshank, see *Tringa totanus*
Redstart, see *Phoenicurus phoenicurus*
American, see *Setophaga ruticilla*
Reedling, Bearded, see *Panurus biarmicus*
Regulus regulus, 28–40, 195
R. satrapa, 28–40, 418
Rhodopechys githaginea, 443–444
Rhodostethia rosea, 306
Rissa tridactyla, 17–22, 205, 441
Robin, American, see *Turdus migratorius*
Rook, see *Corvus frugilegus*
Ruff, see *Philomachus pugnax*
Rupicola rupicola, 298
Sanderling, see *Calidris alba*
Sandgrouse, Spotted, see *Pterocles senegallus*
Sandpiper, Buff-breasted, see *Tryngites subruficollis*
Common, see *Actitis hypoleucos*
Curlew, see *Calidris ferruginea*
Least, see *C. minutilla*
Spotted, see *Actitis macularia*
White-rumped, see *Calidris fuscicollis*
Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
Sayornis phoebe, 71, 455
Saxicola rubetra, 82–83, 191, 318
S. torquata, 205
Scaup, Greater, see *Aythya marila*
Scoter, Black, see *Melanitta nigra*
Common, see *M. nigra*
White-winged, see *M. fusca*
Screech-Owl, Eastern, see *Otus asio*
Seiurus noveboracensis, 69
Selasphorus platycerus, 243
S. rufus, 199
Setophaga ruticilla, 455
Shag, see *Phalacrocorax aristotelis*
Shearwater, Cory's, see *Calonectris diomedia*
Great, see *Puffinus gravis*
Manx, see *P. puffinus*
Pink-footed, see *P. creatopus*
Sooty, see *P. griseus*
Sheathbill, Black-faced (Lesser), see *Chionis minor*
Snowy, see *C. alba*
Shelduck, Common, see *Tadorna tadorna*
Shoveller, Northern, see *Anas clypeata*
Shrike, Red-backed, see *Lanius collurio*
Great Grey, see *L. excubitor*
Sialia sialis, 422–424
Siskin, Pine, see *Carduelis pinus*
Sitta canadensis, 15
S. carolinensis, 15
S. pygmaea, 15, 297
Skua, Antarctic, see *Catharacta antarctica*
Great, see *C. skua*
Long-tailed, see *Stercorarius longicaudus*
Skylark, see *Alauda arvensis*
Snipe, see *Gallinago gallinago*
Great, see *G. media*
Somateria mollissima, 86, 439
Sora, see *Porzana carolina*
Sparrow, American Tree, see *Spizella arborea*
Brewer's, see *S. breweri*
Chipping, see *S. arborea*
Clay-colored, see *S. pallida*
Desert, see *Passer simplex*
Field, see *Spizella pusilla*
Golden-crowned, see *Zonotrichia atricapilla*
Harris', see *Zonotrichia querula*
Henslow's, see *Ammodrammus henslowii*
House, see *Passer domesticus*
Lincoln's, see *Zonotrichia lincolnii*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Z. albicollis*
Sparrowhawk, European, see *Accipiter nisus*
Levant, see *A. brevipes*
Spheniscus demersus, 458
Sphyrapicus varius, 455
Spizella arborea, 30, 365, 406–407
S. breweri, 23–27
S. pallida, 365
S. pusilla, 437
Spoonbill, Roseate, see *Ajaia ajaja*
Starling, European, see *Sturnus vulgaris*
Rose-colored, see *S. roseus*
Stellula calliope, 435
Stercorarius longicaudus, 205, 445
S. parasiticus 411
Sterna albifrons, 444
S. anaethetus, 311
S. antillarum, 78, 405–406
S. bengalensis, 444
S. bergii, 411
S. caspia, 72, 125, 181
S. dougallii, 96, 311, 388
S. hirundo, 79, 178–181, 311, 388–393, 427–428
S. nereis, 433
S. paradisaea, 388–393, 444
S. sandvicensis, 79, 427, 444
S. virgata, 447
S. vittata, 447
Stilt, Black, see *Himantopus novaezealandiae*
Black-necked, see *H. mexicanus*
Black-winged, see *H. himantopus*

Stint, Little, see *Calidris minuta*
Stonechat, see *Saxicola torquata*
Storm-Petrel, Leach's, see *Oceanodroma leucorhoa*
White-faced, see *Pelagodroma marina*
Wilson's, see *Oceanites oceanicus*
British, see *Hydrobates pelagicus*
Strepera, 320
Streptopelia senegalensis, 444
Strigops habroptilus, 196
Strix aluco, 204, 301, 431
S. occidentalis, 319
S. varia, 319, 459
Sturnella magna, 420
S. neglecta, 77
Sturnus roseus, 445
S. vulgaris, 190, 198, 296, 369–378, 419–420, 442
Sula capensis, 411, 458
S. leucogaster, 310
S. nebouxii, 300
S. serrator, 206
Swallow, Barn, see *Hirundo rustica*
Tree, see *Tachycineta bicolor*
Violet-green, see *T. thalassina*
Swan, Mute, see *Cygnus olor*
Tundra, see *C. columbianus*
Whooper, see *C. cygnus*
Swift, House, see *Apus affinus*
Sylvia atricapilla, 191
S. melanocephala, 312–313
S. nana, 443
Synthliboramphus antiquus, 295
Tachycineta bicolor, 194, 434–435
T. thalassina, 96
Tadorna tadorna, 86, 310
Tanager, Scarlet, see *Piranga olivacea*
Tattler, Wandering, see *Heteroscelus incanus*
Teal, Baikal, see *Anas formosa*
Blue-winged, see *A. discors*
Green-winged, see *A. crecca*
Tern, Arctic, see *Sterna paradisaea*
Bridled, see *S. anaethetus*
Caspian, see *S. caspia*
Common, see *S. hirundo*
Gull-billed, see *Gelochelidon nilotica*
Kerguelen, see *Sterna virgata*
Least, see *S. antillarum*
Lesser Crested, see *S. bengalensis*
Little, see *S. albifrons*
Roseate, see *S. dougallii*
Swallow-tailed, see *S. vittata*
Swift, see *S. bergii*
Whiskered, see *Chlidonias hybridus*
White, see *Gygis alba* and *Sterna nereis*
Terpsiphone atrochalybea, 86–87
T. smithii, 87
T. tricolor, 87
T. viridis, 87
Tetrao mlokosiewiczi, 306
T. tetrix, 82–83, 93, 192, 300
T. urogallus, 93, 309, 318
Thalassoica antarctica, 447
Thrasher, Brown, see *Toxostoma rufum*
Thrush, Black-throated, see *Turdus ruficollis*
Hawaiian, see *Phaeornis obscurus*
Rock, see *Monticola saxatilis*
Siberian Ground, see *Zoothera sibirica*
Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 453
Thryothorus ludovicianus, 281, 456
Tigriornis leucolophus, 310
Tit, Blue, see *Parus caeruleus*
Coal, see *P. ater*
Crested, see *P. cristatus*
Great, see *P. major*
Long-tailed, see *Aegithalos caudatus*
Willow, see *Parus montanus*
Titmouse, Tufted, see *Parus bicolor*
Towhee, Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma rufum, 420
Tree-creeper, Eurasian, see *Certhia familiaris*
Tringa nebularia, 447
T. totanus, 202, 439
Troglodytes aedon, 78
T. troglodytes, 433–434
Tropicbird, Red-billed, see *Phaethon aethereus*
Tryngites subruficollis, 296
Turdus merula, 210
T. migratorius, 71, 369–378, 419–420
T. pilaris, 432
T. ruficollis, 445
Turkey, Brush, see *Alectura lathami*
Tympanuchus cupido, 201
T. pallidicinctus, 200
T. phasianellus, 89
Tyto alba, 224–235, 274, 319, 444, 456
Uria aalge, 80, 81, 82, 206, 208, 246–250, 440, 441
U. lomvia, 82, 85, 246–250, 459
Vanellus vanellus, 88, 202, 310, 318, 439
Vermivora pinus, 424–425, 456
Vestiaria coccinea, 172
Vidua macroura, 296
Vireo, Philadelphia, see *Vireo philadelphicus*
Red-eyed, see *V. olivaceus*
Vireo olivaceus, 445
V. philadelphicus, 459
Vulture, Black, see *Coragyps atratus*
Turkey, see *Cathartes aura*

Wagtail, Gray, see *Motacilla cinerea*
Yellow, see *Motacilla flava*
Warbler, Bay-breasted, see *Dendroica castanea*
Blackburnian, see *D. fusca*
Black-throated Green, see *D. virens*
Blue-winged, see *Vermivora pinus*
Fan-tailed, see *Cristicola juncidis*
Grasshopper, see *Locustella naevia*
Icterine, see *Hippolaius icterina*
MacGillivray's, see *Oporornis tolmiei*
Magnolia, see *Dendroica magnolia*
Melodius, see *Hippolaius polyglotta*
Mourning, see *Oporornis philadelphia*
Prairie, see *Dendroica discolor*
Reed, see *Acrocephalus arundinaceus* and *A. scirpaceus*
Sardinian, see *Sylvia melanocephala*
Sedge, see *Acrocephalus schoenobaenus*
Willow, see *Phylloscopus trochilus*
Wilson's, see *Wilsonia pusilla*
Wood, see *Phylloscopus sibilatrix*
Yellow, see *Dendroica petechia*
Yellow-rumped, see *D. coronata*
Yellow-throated, see *D. dominica*
Waterthrush, Northern, see *Seiurus noveboracensis*
Weka, see *Gallirallus australis*
Wheatear, Common, see *Oenanthe oenanthe*
Desert, see *O. deserti*
Whimbrel, see *Numenius phaeopus*
Whinchat, see *Saxicola rubetra*
Whip-Poor-Will, see *Caprimulgus vociferus*
White-eye, Japanese, see *Zosterops japonicus*
Whitethroat, Desert, see *Sylvia nana*
Whydah, Pin-tailed, see *Vidua macroura*
Wigeon, American, see *Anas americana*
European, see *A. penelope*
Wilsonia pusilla, 301
Woodpecker, Black, see *Dryocopus martius*
Black-backed, see *Picoides arcticus*
Downy, see *P. pubescens*
Hairy, see *P. villosus*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes carolinus*
Red-headed, see *M. erythrocephalus*
Three-toed, see *Picoides tridactylus*
Wood-pewee, Eastern, see *Contopus virens*
Western, see *C. sordidulus*
Wren, Bewick's, see *Thryomanes bewickii*
Carolina, see *Thryothorus ludovicianus*
House, see *Troglodytes aedon*
Sedge, see *Cistothorus platensis*
Winter, see *Troglodytes troglodytes*
Yellowthroat, Common, see *Geothlypis trichas*
Zenaida macroura, 77, 89, 295, 420
Zonotrichia, 315
Z. albicollis, 196, 365
Z. atricapilla, 365
Z. leucophrys, 203, 301, 356–368, 453–454
Z. lincolnii, 456
Z. querula, 363, 365
Zoothera sibirica, 445
Zosterops japonicus, 172